
GENERAL NOTES

- I. TAKE CAREFUL NOTE OF ALL REQUIREMENTS UNDER DIVISION I GENERAL. REQUIREMENTS THAT ARE MADE A PART OF THE CONTRACT, INCLUDING PROJECT REQUIREMENTS, GENERAL REQUIREMENTS, PROJECTION AND SPECIAL PRECAUTIONS, AND THE GENERAL CONDITIONS OF THE CONTRACT FOR CONSTRUCTION.
- IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS 2. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY OF VERHITY ALL DIMENSIONS AND CONDITIONS AT THE JOB SITE AND TO CROSS-CHECK DETAILS AND DIMENSIONS ON THE CONSTRUCTION DOCUMENTS WITH RELATED DISCIPLINES SUCH AS ARCHITECTURAL, AND ELECTRICAL CONSULTAINS. FLOOR OPENINGS, SLEEVES AND OTHER ARCHITECTURAL, MECHANICAL AND ELECTRICAL CROSSTRUCTION MUST BE COORDINATED BEFORE THE CONTRACTOR PROCEEDS WITH CONSTRUCTION.
- ALL WORK AND MATERIALS ARE TO COMPLY IN EVERY RESPECT WITH THE LATEST REQUIREMENTS OF ALL APPLICABLE CITY, COUNTY AND STATE CODES, LOCAL REGULATIONS AND THE DIRECTION OF THE BUILDING INSPECTOR FOR SU BUILDING LAYIS. REGULATIONS AND DIRECTIONS ARE TO BE CONSIDERED AS P THESE SPECIFICATIONS AND PLANS, EXCEPT WHERE EXCEEDED HEREIN.
- 4. ALL MATTERS OF COLOR, TEXTURE, DESIGN AND INTERPRETATION OF PLANS SHALL BE REFERRED BY THE CONTRACTOR TO THE ARCHITECT, IN THE EVENT SUCH MATTERS ARE NOT ADEQUATELY COVERED IN PLANS.
- 5. DRAWINGS ARE NOT TO BE SCALED. DIMENSIONAL DISCREPANCIES ARE TO BE CALLED TO THE ATTENTION OF THE OWNER.
- 6. NUMERICAL DIMENSIONS SHALL TAKE PRIORITY OVER SCALED.
- T. THE CONTRACTOR SHALL FURNISH WATER, SENER, GAS AND ELECTRIC SERVICE TO MEET THE REQUIREMENTS OF THE CONTRACT DOCUMENTS, OR AS NECESSARY TO COMPLETE THE WORK.
- ALL SUBSTITUTIONS OF PRODUCTS SPECIFIED OR DEVIATIONS TO THE DRAWINGS OR SPECIFICATIONS MUST BE SUBMITTED TO THE OWNER FOR APPROVAL.
- IO. VERIFY EXACT LOCATION OF CEILING ACCESS PANELS WITH MECHANICAL CONTRACTOR, PROVIDE ACCESS PANELS WHERE REQUIRED.
- I. PATCHING AND REPAIR SHALL BE PERFORMED TO CREATE A CONTINUOUS AND
- I2. CEILING HEIGHTS SHOWN ON REFLECTED CEILING PLANS ARE FROM FINISH FLOOR TO FINISH CEILING.
- 13. PROVIDE DRYWALL SCREED OR PLASTER GROUND ON ALL END WALL CONDITIONS AND MAINTAIN SEPARATION FROM NON-COMPATIBLE MATERIAL. INFORM OWNER IMMEDIATELY OF ANY DISCREPANCIES.
- I4. EXCEPT AS OTHERWISE NOTED ON THE DRAWINGS, PARTITIONS SHALL BE 2X4 STUDS AT 16" O.C., WITH SILL AND PLATES AS SHOWN IN THE APPLICABLE DETAILS, OR AS REQUIRED BY LOCAL GOVERNING REGULATIONS.
- 15. ALL DRYWALL SHALL BE 5/8" THICK TYPE 'X' GYPSUM BOARD, EXCEPT WHERE NOTED.
- I6. ALL CONSTRUCTION, WHERE APPLICABLE BY CODE, SHALL CONFORM TO THE MOST RESTRICTIVE REGUIREMENTS OF THE CITY OF GLENDALE, BUILDING AND SAFETY DISABLED REQUIREMENTS, ALL STATE OF CALLFORNIA ACCESSIBILITY STANDARDS FOR THE PHYSICALLY HANDICAPPED, AND THE LATEST EDITION OF AMERICANS WITH DISABILITIES ACT.
- IT. FIRE EXTINGUISHERS SHALL BE INSTALLED IN LOCATIONS REQUIRED BY TH OTY OF GLENDALE FIRE DEPARTMENT, THE CONTRACTOR SHALL ARRANSE FOR THE INSPECTION BY THE FIRE DEPARTMENT AND INSTALLATION IN ACCORDANCE WITH THE LOCATIONS AND SPECIFICATIONS, AS REQUIRED, ONLY APPROVED TYPE FIRE EXTINGUISHERS SHALL BE USED.
- I. ALL INTERIOR FINISHES SHALL HAVE A FLAME SPREAD RATING OF 75 OR BETTER AND SHALL CONFORM TO SECTION 804 & TABLE 8-A & 8-B OF 2016 UBC
- IR, CONTRACTOR WARRANTS THAT ALL WORK AND MATERIALS SHALL CONFORM TO THE CONTRACT DOCUMENTS AND NO SUBSTITUTION SHALL BE PERMITTED UNLES SUBMITTED TO THE ARCHITECT IN WRITING WITH THREE COPIES OF LITERATURE AND SPECIFICATIONS AND FORMALLY APPROVED BY THE ARCHITECT AND OWNER.
- 20. IF THE CONTRACTOR ENCOUNTERS ASBESTOS OR OTHER TOXIC MATERIALS THE WORK SHALL IMMEDIATELY CEASE AND THE OWNER SHALL BE INFORMED OF THE PRESENCE OF THESE MATERIALS FOR IMMEDIATE ACTION.
- 21. LEVERS AND LOCK SETS (ALL HARDWARE) SHALL BE IN ACCORDANCE TO THE TITLE 24 OF THE STATE OF CALIFORNIA AND THE LATEST EDITION OF AMERICANS WITH DISABILITIES ACT FOR ALL COMMON AREAS.
- 22. VERIFY TITLE 24 REQUIREMENTS ENERGY CALCULATIONS PRIOR TO ORDERING FIXTURES. REFER TO ARCHITECTURAL REFLECTED CEILING PLAN FOR LOCATION OF FIXTURES ONLY.
- 23. CONTRACTOR IS RESPONSIBLE FOR TITLE 24 ENERGY CALCULATIONS IF A DEVIATION IN DESIGN IS REQUESTED. SUBMIT ANY REQUESTS FOR DEVIATION TO THE ARCHITECT FOR APPROVAL.

24. PROVIDE APPROVED FIRE DAMPERS FOR ALL DUCTS PENETRATING FIRE RATED WALLS AND FLOORS

- ANY DECORATIONS USED SHALL BE NON-COMBUSTIBLE OR FLAME PROOFED IN
- 26. DOOR OPENINGS NOT LOCATED BY DIMENSION SHALL BE CENTERED IN WALL SHOWN OR LOCATED 5° FROM FINISH WALL TO FINISH JAMB.
- 27. ALL LEGAL EXIT DOORS SHALL BE OPEN ABLE FROM INSIDE WITHOUT THE USE OF A KEY OR ANY SPECIAL KNOWLEDGE OR EFFORT. SPECIAL LOCKING DEVICES SHALL BE OF ANY SPECIAL TYPE.
- 26. ALL WALL MOUNTED TELEPHONE AND ELECTRICAL OUTLETS SHALL BE INSTALLED AT 15" A.F.F., UNLESS OTHERWISE NOTED.
- 29. ALL LIGHT FIXTURES SHALL BE LOCATED EXACTLY AS INDICATED, CEILING SHALL BE CUT AND REWORKED AS REQUIRED TO ACCOMMODATE LIGHT FIXTURES AND OTHER ITEMS NOTED WITH A SPECIFIC LOCATION.
- 30. REFER TO THE ELECTRICAL DRAWINGS FOR LOCATION OF EXIT SIGNS, UNLESS
- 31. FOR PLUMBING ACCESS PANEL LOCATIONS REFER TO THE PLUMBING DRAWINGS.
- 32. FOR MECHANICAL ACCESS PANEL LOCATIONS REFER TO THE MECHANICAL
- 33. ONE HOUR FIRE-RESISTIVE PARTITIONS SHALL EXTEND FROM FLOOR SLAB TO UNDERSIDE OF FLOOR CONSTRUCTION ABOVE WITH 5/8" THICK TYPE "X" GYPSUM BOARD ON BOTH SIDES AS REQUIRED FOR ONE HOUR FIRE-RESISTIVE CONSTRUCTION.
- 34. ALL ACCESSIBLE ENTRANCES, IN COMMON AREAS, SHALL BE IDENTIFIED WITH AT LEAST ONE STANDARD SIGN AND WITH ADDITIONAL DIRECTIONAL SIGNS, AS REQUIRED, VISIBLE FROM APPROACHING PEDESTRIAN WAYS,
- 95. LATCHING AND LOCKING DOORS THAT ARE HAND ACTIVATED AND WHICH ARE N A PATH OF TRAVEL, SHALL BE OPERABLE WITH A SINGLE EFFORT BY LEVER YPE HARDWARE, PANIC BARS, PIGH-HULL ACTIVATING BARS, OR OTHER HARDWAR DESIGNED TO PROVIDE PASSAGE WITHOUT REQUIRING THE ABILITY TO GRASP THE
- 36. HAND ACTIVATED DOOR OPENING HARDWARE SHALL BE CENTERED BETWEEN 33" AND 44" ABOVE THE FLOOR.
- 37. THE FLOOR OR LANDING ON EACH SIDE OF AN ENTRANCE OR PASSAGE DOOR IN COMMON AREAS SHALL BE LEVEL AND CLEAR. THE LEVEL AND CLEAR AREA SHALL HAVE A LENGTH IN THE DIRECTION OF THE DOOR SWING OF AT LEAST 60" AND THE LENGTH OPPOSITE THE DIRECTION OF THE DOOR SWING OF 44" AS MEASURED AT RIGHT ANGLES TO THE PLANE OF THE DOOR IN ITS CLOSED POSITION.
- 38. THE WIDTH OF THE LEVEL AND CLEAR AREA ON THE SIDE TO WHICH THE DOOR SWINGS, IN COMMON AREAS, SHALL EXTEND 24" PAST THE STRIKE EDGE OF TH DOOR FOR EXTERIOR DOORS AND 18" PAST THE STRIKE EDGE FOR INTERIOR
- 39. THE FLOOR OR LANDING SHALL NOT BE MORE THAN 1/2" LOWER THAN THE THRESHOLD OF THE DOORNAY. CHANGE IN LEVEL BETWEEN 1/4" AND 1/2" SHALL BEVYLLED WITH A SLOPE NO GREATER THAN 1:2.
- 40. THE BOTTOM IO' OF ALL DOORS EXCEPT AUTOMATIC AND SLIDING SHALL HA SMOOTH UNINTERRUPTED SURFACE TO ALLOW THE DOOR TO BE OPENED BY A WHEELCHAIR FOOTREST HITHOUT CREATING A TRAP OR HAZARDOUS CONDITION. WHERE NARROW FRAME DOORS ARE USED, A IO' HIGH SMOOTH PANEL SHALL BE INSTALLED ON THE PUSH SIDE OF THE DOOR, WHICH WILL ALLOW THE DOOR TO B OPENED BY A WHEELCHAIR FOOTREST WITHOUT CREATING A TRAP OR HAZARDO CONDITION.
- 41. MAXIMUM EFFORT TO OPERATE DOORS SHALL NOT EXCEED 8-12 LBS FOR EXTERIOR DOORS AND 5 LB. FOR INTERIOR DOORS. SUCH PILL OR PUSH EFFORT BEING APPLIED AT RIGHT ANGLES TO HINGED DOORS AND AT THE CENTER PLANE OF SLIDING OR FOLDING DOORS. COMPENSATING DEVICES OR AUTOMATIC DOOR OPERATORS MAY BE UTILIZED TO MEET THE ABOVE STANDARDS. WHEN FIRE DOORS ARE REQUIRED, THE MAXIMUM EFFORT TO OPERATE THE DOOR MAY BE INCREASED NOT TO EXCEED IS LB ..

72 ROOM CONGREGATE LIVING




129-133 W. LOS FELIZ RD **GLENDALE, CA 91204**

CONSULTANTS LEGEND OF SYMBOLS STANDARD ABBREVIATIONS

LOOR DRAI

FOUNDATION



PROJECT SUMMARY

SCOPE OF WORKS:

CONT. WOOD BLOCKING

5 STORY (57,350 S.F.), 72 ROOM CONGREGATE LIVING OVER TWO STORY SUBTERRANEAN PARKING GARAGE.

LEGAL DESCRIPTION

PROJECT SUMMARY

VINE COTTAGE TRACT LOT 18 BLK 2

ALUMINUM APPROXIMATELY ARCH. ARCHITECT ASPHALTIC CONCRETE ASSEMBLY BITUMEN(OUS) BLKG. BM. CAB. C.B. BLOCKING CENTER LINE EACH ELECTRICAL ELEVATION ENCLOSURE EQUAL EXISTING

ABOVE FINISH FLOOR

HOSE BIBB HOLLOW CORE HOLLOW METAL HEADER HORIZONTAL HEIGHT INSIDE DIAMETER MEMBER
MECHANICAL
MEMBRANE
MANUFACTURER
MINIMUM
MISCELLANEOUS
MOUNTED
METAL
NOT IN CONTRACT
NOT TO SCALE
NATURAL
NOMINAL
OWER
OVER OVER
ON CENTER
OUTSIDE DIAMETER
OVER HEAD
OPENING
OPPOSITE

OUTSIDE FACE OF FINISH WALL MD. PROPERTY LINE W.T.

FACE OF CONCRETE FACE OF FINISH FACE OF MASONRY FACE OF STUD REFLECTED CEILING PLAN ROOF DRAIN FOOT / FEET REFERENCE GALVANIZED REINFORCEMENT REQUIRED ROOFING ROOM SANDBLASTED STORM DRAIN SOLID CORE STAINLESS STEEL SCHEDULE T.O.
T.C.S.
T.C.Z.
TEMP.
THK.
TYP,
U.B.C.
U.O.N.
VERT.
V.G.D.F
W.C.
W/O TOP OF TERNE COATED STEEL TERNE COATED ZINC TEMPERED THICK TYPICAL UNIFORM BUILDING CODE
UNLESS OTHERWISE NOTED
VERTICAL
VERTICAL GRAIN DOUGLAS FIR

WATER PROOF

WATER RESISTANT

VICINITY MAP

WOOD WALL THICKNESS

ARCHITECT ALAJAJIAN-MARCOOSI ARCHITECTS INC. 320 W. ARDEN AVE. SUITE 120 6LENDALE, CA 91203 TEL; (8)8) 244-5130 FAX; (8)8) 551-1613 E-MAIL; ARAMAR®ATT.NET SURVEYOR

R.J. SMITH - L.S. 5189 PHONE: (818) 957-3345 EMAIL: RANDALL2741@ATT.NET

COVER SHEET

SHEET INDEX ASSESSOR'S INFORMATION

ARCHITECTURAL

- COVER SHEET
- A-I.O SITE / ROOF PLAN
- A-2.0 SUBTERRANEAN PARKING LEVEL B2 A-2.I SUBTERRANEAN PARKING LEVEL BI
- A-2.2 IST FLOOR PLAN
- A-2.3 2ND FLOOR PLAN
- A-2.4 3RD FLOOR PLAN
- A-2.5 4TH FLOOR PLAN
- A-2.6 5TH FLOOR PLAN
- A.31 SOUTH AND EAST ELEVATIONS
- A-3.2 NORTH AND WEST ELEVATIONS
- A-4.I SECTION "A-A"
- A-4.2 SECTION "B" AND "C"

ASSESSOR'S ID NO: 5640-017-017 ADDRESS:

129 W. LOS FELIZ RD. GLENDALE CA, 91204

PROPERTY TYPE:

VACANT LAND

TAX RATE AREA (TRA): 04045

REGION / CLUSTER: 24 / 24633

BUILDING ANALYSIS: TYPE OF CONSTRUCTION: III-A SPRINKLERED

STORIES

BUILDING HEIGHT 56'-6"

BUILDING AREA SUMMARY LOT AREA 17.654 SQ.FT

SECOND FLOOR - 12300 SQ ET THIRD FLOOR - 12,300 SQ.FT

FOURTH FLOOR

FIFTH FLOOR - 12,300 SQ.FT. TOTAL FLOOR AREA - 51350 SQ.F1

ROOF TERRACE AREA - 4,500 SQ.FT.

SUBTERRANEAN GARAGE BI - 15,145 SQ.FT. SUBTERRANEAN GARAGE B2 - 14,000 SQ.FT

FAR: 57,350 / 17,654 = 3.25 LANDSCAPE AREA - 9,000 / 17,654 = 49%

PARKING ANALYSIS: ASSUMED MAXIMUM NUMBER OF BEDS (2PER ROOM) = 144 BEDS

ONE CAR PER 3 BEDS = 144/3 = 48 CARS

PARKING PROVIDED B2 LEVEL 35 BI LEVEL 35 TOTAL 10 CARS

0 0 0

ajajian - marcoosi archite



Marcoosi Architects Inc. 320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Address:

72 ROOM CONGREGATE LIVING

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

Scale: N/A

APPROVED

APPROVED

• REVISION

REVISION • REVISION

O DRAWN BY

● PRINT DATE 02-26-19

• JOB NO SHEET NO

ajian - marcoosi architects Inc

0

SITE / ROOF PLAN



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

72 ROOM CONGREGATE LIVING

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SITE / ROOF PLAN

Scale: SITE / ROOF

KEYPLAN

- APPROVED
- REVISION
- REJISION O DRAWN BY

A-1.0

THE MONITOR AND TO BASE THREETO SHALL BE COOPED, DISCLOSED TO OTHERS OR USED IN CON-HECTION WHILL ANY MORN OF PROJECT OF HER THAN HE SECONCY PROJECT OOR HIGH THEY HAVE BEEN HERE SECONCY PROJECT OR HIGH THEY HAVE BEEN HERE SECONCY PROJECT OR HIGH THEY HAVE BEEN HERE SERVING SON SPECIFICATIONS SHALL CON-STITUT CONJUSTIC MONITOR OF THESE RESTRICTIONS. SHIPLE CONJUSTIC MONITOR OF THESE RESTRICTIONS. HERE SERVING SHALL WEST, AND BE RESTRICTIONS. HERE SERVING SHALL WEST, AND BE RESTRICTIONS. HERE OF SHALL WEST, AND BE RESTRICTIONS. HERE OF THE SHALL WEST, AND THE SHALL WE SHALL WE HERE OF THE SHALL WEST, AND THE SHALL WE HERE OF THE HERE OF THE SHALL WE HERE OF THE SHALL WE HERE OF THE SHALL



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Addre

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SUBTERRANEAN PARKING 4LEVEL B2

Scale: "=1'-0"

KEYPLAN

APPRO

■ APPRO

REVISION

REVISION

• REVISION

O DRAWN BY

O DRINT DATE 02 26 10

• JOB NO

SHEET NO

A-2.0

SUBTERRANEAN PARKING LEVEL B2



Alajajian Marcoosi Architects Inc. 320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

KARAMANOUKIAN

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

ALBER

Scale: "=1'-0"

KEYPLAN

● APPRO

REVISIO

• REVISION


• REVISION


DRAWN BY

O PRINT DATE 02 26

• JOB NO

SHEET NO





THE ABOVE DRAWNINGS AND SPECIFICATIONS AND DECKS, DESIGNS, AN ARRANGEMENTS PREPERSINTED EDGS, DESIGNS, AND ARRANGEMENTS PREPERSINTED THE ARRONICCE, AND NO PART THEREOF SHALL RE-COPED, DISCOSED TO ORNERS OF USES ON CON-ACTION WITH ANY MERK OF REGILED OTHER DRAW PREPARED, AND DECKSOPES WHO THE SHAT OWNERS OF THE ARRONICS OF THE ARRONICS SHALL CON-TRACTIONS AND SPECIFICATION SHALL CON-MINITED DURNISHONS ON THESE DRAWNINGS SHALL WHITEIN DURNISHONS ON THESE DRAWNINGS SHALL WITHIN DURNISHONS ON THESE DRAWNINGS SHALL PRECEDENCY OFFI SHALL DURNISHES SHALL WITHIN DURNISHONS ON THESE DRAWNINGS SHALL PRECEDENCY SHALL SHAPPY, AND DE RESPONSEE THE THE SOFTIELDERS OF THE SHAPPY AND THE RESPONSEE THE PRECEDENCY SHAPPY AND DE RESPONSEE THE PRECEDENCY SHAP



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Addr

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

FIRST FLOOR PLAN

Scale: "=1'-0"

KEYPLAN

APPRO

● APP

REVISION

• REVISIO

DRAWN BY

● PRINT DATE 02-26-

• JOB NO

SHEET NO

2ND FLOOR PLAN

THE THE ABOVE DRAWNESS AND SPECIFICATIONS OF BEST DESCRIPTION OF THE SPECIAL DESCRIPTION OF THE SPECIA



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Addr

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

2ND FLOOR PLAN

Scale: "=1'-0"

KEYPLAN

• APPRO

APPROVED

REVISION

REVISION

• REVISION

O DRAWN BY

• PRINT DATE 02-26-19

JOB NO
 SHEET NO

A - 2.3

3RD FLOOR PLAN



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

2ND FLOOR PLAN

Scale: "=1'-0"

KEYPLAN

• APPROVED

• REVISION

O DRAWN BY • PRINT DATE 02-26-19

JOB NO

4TH FLOOR PLAN

SCALE: 3/16" = 1"-0"



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

4TH FLOOR PLAN

Scale: "=1'-0"

KEYPLAN

• APPROVED

• REVISION DRAWN BY

• PRINT DATE 02-26-19

• JOB NO

5TH FLOOR PLAN
SCALE: 3/16" = 1'-0"

CHE MADOR DRAMMOS AND SPECIFICATIONS OF BEAS DESIGNED AND ARRANGEMENT ERRESCHILD THE REPORT OF THE PROPERTY ARE AND SHALL REMAIN THE PROPERTY OFFICE OFFICE



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Address:

72 ROOM CONGREGATE LIVING

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

5TH FLOOR PLAN

Scale: "=1'-0"

KEYPLAN

e APPRO

REVISION

• REVISION

DRAWN BY

● PRINT DATE 02-26-19

• JOB NO

SHEET NO

alajajian - marcoosi architects Inc.

TOP OF PARAPET ROOF TERRACE FIN FL.

2ND FIN. FL.

PARKING ENTRANCE

5TH FIN. FL.

(b) (l) (2) (4) (l)

8 (5) (0) (1)

EXTERIOR FINISH MATERIALS: I. COMPOSITE WOOD PANELS "TRESPA" (CLASSIC OAK PUO2) OR EQUAL IJ COMPOSITE WOOD PANELS "TRESPA" (AGED ASH PUT) OR EQUAL. 1/8"THK, STEEL TRANLED SMOOTH FINISH CEMENT PLASTER, "OMEGA PRODUCTS INTERNATIONAL" COLOR 9240 IVORY. 3. 1/8"THK. STEEL TRANLED SMOOTH FINISH CEMENT PLASTER, "OMEGA PRODUCTS INTERNATIONAL" COLOR 9227 SHARK GRAY. METAL PANEL TRIM, FASCIA, COLUMNS "ALPOLIC" OR EQUAL CHAMPAGNE METALIC COLOR(TYP.).

5. BIOO SERIES CRL VS ALUMINUM, FIXED WINDOWS W CLEAR ANODIZED ALUMINUM FRAME WOULD PANE E GLASS.

6. 3250 SERIES CRL US ALUMINIM, SPANDREL GLASS/CURTAIN WALL SYSTEM W DUAL PANE LOW-E GLASS, CLEAR ANODIZED FRAME TO MATCH STOREFRONT


ANODIZED ALUMINUM DOOR AND HINDORS W DUAL GLAZED LOW "E" VISION GLASS

8. I/4" W. ALUMINUM REVEAL, "FRY REGLET" OR EQUAL(TYP)

9. 9" HIGH, $\frac{3}{4}$ " STROKE, STAINLESS STEEL ADDRESS NUMBERS

IO. 42" HIGH GLASS RAIL

SOUTH ELEVATION





Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Address:

72 ROOM CONGREGATE LIVING

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SOUTH AND EAST **▲ELEVATIONS**

Scale: "=1'-0"

KEYPLAN

APPROVED

• APPROVED

• REVISION

REVISION

• REVISION

O DRAWN BY

PRINT DATE 02-26-19

• JOB NO SHEET NO

A-3.1

marcoosi architects Inc.

alajajian + marcoosi architects Inc

EXTERIOR FINISH MATERIALS:

- I. COMPOSITE MOOD PANELS "TRESPA" (CLASSIC OAK PUO2) OR EQUAL
- I.I COMPOSITE WOOD PANELS "TRESPA" (AGED ASH PUTI) OR EQUAL.
- 1/8"THK. STEEL TRAVILED SMOOTH FINISH CEMENT PLASTER, "OMEGA PRODUCTS INTERNATIONAL" COLOR 9240 IVORY.
- 1/8'THK, STEEL TRANLED SHOOTH FINISH CEMENT PLASTER, "OMEGA PRODUCTS INTERNATIONAL" COLOR 9227 SHARK GRAY.
- METAL PANEL TRIM AND FASCIA, "ALPOLIC" OR EQUAL CHAMPAGNE METALIC COLOR(TYP).
- BIOO SERIES CRL US ALUMINUM, FIXED HINDOWS W CLEAR ANODIZED ALUMINUM FRAME WOULD PANE E GLASS.
- 3250 SERIES CRL US ALUMINIM, SPANDREL GLASS/CURTAIN WALL SYSTEM W DUAL PANE LOW-E GLASS, CLEAR ANODIZED FRAME TO MATCH STOREPRONT
- ANODIZED ALIMINUM DOOR AND WINDOWS W DUAL GLAZED LOW "E" VISION GLASS
- 8. 1/4" W. ALUMINUM REVEAL, "FRY REGLET" OR EQUAL(TYP)
- 9. 9" HIGH, 34" STROKE, STAINLESS STEEL ADDRESS NUMBERS
- IO. 42" HIGH GLASS RAIL

1) NORTH ELEVATION
SCALE: 1/8" = 1"-0"



2 WEST ELEVATION
SCALE: 1/8" = 1'-0"

THE ABOVE DRAWNES AND SPECIFICATIONS .

THE ABOVE DRAWNES AND SPACE AND SPECIFICATIONS .

THE ADDRESS AND ARRANGEMENTS ERPECENT THE ADDRESS AND ARRANGEMENTS ERPECTED THE ADDRESS SHALL THE ADDRESS AND ARRANGEMENT AND ARRANG



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Address:

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

NORTH AND WEST ELEVATIONS

Scale: "=1'-0"

KEYPLAN

• APPROVED

APPROVED

• REVISION

• REVISION

REVISION

DRAWN BY

● PRINT DATE 02-26-19

JOB NO

SHEET NO

A-3.2

SECTION "A-A"



Alajajian Marcoosi Architects Inc. 320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SECTION "A-A"

Scale: "=1'-0"

KEYPLAN

APPROVED

• REVISION

• REVISION

• REVISION

ORAWN BY


● PRINT DATE 02-26-19

O JOB NO SHEET NO

A-4.1

alajajian - marcoosi architects Inc.

SUBTERRANEAN PARKING





Alajajian

Marcoosi Architects Inc. 320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Address:

SECTION "B"

72 ROOM CONGREGATE LIVING

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SECTION "A-A"

Scale: "=1'-0"

KEYPLAN

APPROVED

• REVISION • REVISION

• REVISION

ORAWN BY

• PRINT DATE 02-26-19

• JOB NO

SHEET NO

A-4.2